

STATUS SHEET
N355RM INSPECTION AND COMPONENT LISTING

Flt Log # 7/6/2007

Learjet 55 S/N 033 AFTT **8391.3**

AFTL **7332**

Eng Model Garrett TFE-731-3AR-2B TSN 8136.1

Engine #1 S/N 85173 CYCLES 6878

Eng Model Garrett TFE-731-3AR-2B TSN 8238.2

Engine #2 S/N 85126 CYCLES 6952

AIRFRAME INSPECTIONS

<u>ITEM</u>	<u>INTERVAL</u>	<u>C/W</u>	<u>DUE</u>	<u>TO GO</u>	<u>STATUS</u>	
inspection 300 hr aircraft	300	8356.6	8656.6	265.3	OK	
insp 12 mo airframe (phase A1-A6)	365	5/25/2007	05/24/08	323	OK	
inspection 600 hr aircraft	600	8120.5	8720.5	329.2	OK	
insp 24 mo airframe (phase B1-B6)	730	5/25/2006	05/24/08	323	OK	
inspection 1200 hr aircraft	1200	8120.5	9320.5	929.2	OK	
insp 48 mo airframe (phase C1-C6)	1460	5/25/2006	05/24/10	1053	OK	
inspection 2400 hr aircraft	2400	6394.9	8794.9	403.6	OK	
insp 96 mo airframe (phase D1 - D6)	2920	6/2/2002	05/31/10	1060	OK	
inspection 3000 landing	3000	5966	8966	1634	OK	
inspection 6000 landing	6000	5966	11966	4634	OK	
inspection airframe 12 year	12 Years	4380	5/25/2006	05/22/18	3973	OK
inspection airframe 12 year	6000	3072	9072	1740	OK	
inspection 12000 hr aircraft	12000	0.0	12000	3608.7	OK	
weight & balance	1095	8/15/2006	08/14/09	770	OK	
RVSM task 1.4.2 (a) 12 Month Tasks	365	5/1/2007	04/30/08	299	OK	

RVSM task 1.4.2 (b) 24 Month Tasks	730	2/22/2007	02/21/09	596	OK
avionics annual	365	4/24/2007	02/22/08	231	OK
30 Day Inspection	30	6/20/2007	07/20/07	14	OK

ENGINE INSPECTIONS

updated engine times 4/25/07

<u>ITEM</u>	<u>INTERVAL</u>	<u>C/W</u>	<u>DUE</u>	<u>TO GO</u>	<u>STATUS</u>
repl fuel filter #1	300	8089.5	8389.5	253.4	OK
repl fuel filter #2	300	7967.4	8267.4	29.2	INSP DUE
oil change engine #1	600	8089.5	8689.5	553.4	OK
oil change engine #2	600	7967.4	8567.4	329.2	OK
inspection 150 hr engine #1	150	8089.5	8239.5	103.4	OK
inspection 150 hr engine #2	150	8238.2	8388.2	150.0	OK
inspection 150 hr TR #1	150	8257.8	8407.8	16.5	INSP DUE
inspection 150 hr TR #2	150	8257.8	8407.8	16.5	INSP DUE
inspection 300 hr engine #1	300	8089.5	8389.5	253.4	OK
inspection 300 hr engine #2	300	7967.4	8267.4	29.2	INSP DUE
inspection 300 hr TR #1	300	8120.5	8420.5	29.2	INSP DUE
inspection 300 hr TR #2	300	8120.5	8420.5	29.2	INSP DUE
inspection 800 hr engine #1	800	8089.5	8889.5	753.4	OK
inspection 800 hr engine #2	800	7967.4	8767.4	529.2	OK
inspection 600 hr TR #1	600	8120.5	8720.5	329.2	OK
inspection 600 hr TR #2	600	8120.5	8720.5	329.2	OK
inspection MPI #1	1400	8089.5	9489.5	1353.4	OK
inspection MPI #2	1400	7967.4	9367.4	1129.2	OK
plenum insp #1	1400	8089.5	9489.5	1353.4	OK
plenum insp #2	1400	7967.4	9367.4	1129.2	OK
inspection 1400 hr TR #1	1400	8334.7	9734.7	1343.4	OK
inspection 1400 hr TR #2	1400	8120.5	9520.5	1129.2	OK
gearbox insp #1	4200	8089.5	12289.5	4153.4	OK
gearbox insp #2	4200	7967.4	12167.4	3929.2	OK
fan support insp #1	4200	8089.5	12289.5	4153.4	OK
fan support insp #2	4200	7967.4	12167.4	3929.2	OK
inspection CORE #1	4200	8089.5	12289.5	4153.4	OK
inspection CORE #2	4200	7967.4	12167.4	3929.2	OK

Airframe Component Inspection Items

CABIN

C2561000	lifevest		365	8/22/06	8/22/2007	47	OK
B2620000	weight cabin fire extinguisher	6 months	183	5/25/2007	11/24/07	141	OK
C2620030	hydro cabin fire extinguisher	12 year	4380	1/1/2002	12/29/13	2368	OK

B2620000	weight cockpit fire extinguisher	6 months	183	5/25/2007	11/24/07	141	OK
C2620030	hydro cockpit fire extinguisher	12 year	4380	6/1/1997	05/29/09	693	OK
G5321086	aft pressure bulkhead	6000 cyc	6000	2547	8547	1215	OK
COCKPIT							
C3510001	oxygen mask s/n 4315	6 years	2190	4/1/2002	04/01/08	270	OK
C3510001	oxygen mask s/n 94588	6 years	2190	5/25/2007	05/23/13	2148	OK
ELECTRICAL							
E1222000	nicad batt insp	90 day	90	N/A	N/A	N/A	N/A
E1222000	nicad batt insp	90 day	90	N/A	N/A	N/A	N/A
G1222001	batt insp LH	3 months	90	10/7/2007	01/05/08	183	OK
G1222001	batt insp RH	3 months	90	10/7/2007	01/05/08	183	OK
G1222002	lead acid batt insp (captive electrolyte batts)	mfg	N/A	N/A	N/A	N/A	N/A
D1223000	NiCad EPS 100/3mo	3 months	90	5/25/2007	08/23/07	48	OK
D1223000	NiCad EPS 100/3mo	100 hr	100	5/25/2007	09/02/07	58	OK
D1223001	NiCad EPS 12mo s/n 1894	12 months	365	11/25/2006	11/25/07	142	OK
F1223010	Lead Acid EPS ops chk	6 months	183	N/A	N/A	N/A	N/A
D1223015	Lead Acid EPS discharge	12 months	365	N/A	N/A	N/A	N/A
C1223021	emerg exit and wing insp lt pwr supply batt	6 months	N/A	N/A	N/A	N/A	N/A
O1223040	GNS 500A standby batt dischg/rechrg	6 months	N/A	N/A	N/A	N/A	N/A
H2130007	cabin pressurization system	1200 hrs	1200	8120.5	9320.5	929.2	OK
C2431015	generator overhaul #1	2000 hrs	2000	7990.2	9990.2	1598.9	OK
C2431015	generator overhaul #2	2000 hrs	2000	7990.2	9990.2	1598.9	OK
C2431016	generator bearing change #1	1050 hrs	1050	7990.2	9040.2	648.9	OK
C2431016	generator bearing change #2	1050 hrs	1050	7990.2	9040.2	648.9	OK
H2431017	battery cables and receptacles insp	300 hrs	300	8120.5	8420.5	29.2	INSP DUE
J2563001	ELT functl chk/installation insp	12 months	365	5/25/2007	05/24/08	323	OK
	ELT batt exp			3/31/2008	03/31/08	269	OK
F2565000	CVR/FDR ULB clean sw & FT	2 years	730	11/24/2006	11/23/08	506	OK
EMPENNAGE							
H2740021	horizontal stabilizer 5435005-13 s/n 031	600 hrs	600	8120.5	8720.5	329.2	OK
J3500017	oxygen cylinder hydro test	3 yrs	N/A	N/A	N/A	N/A	N/A
J3500017	oxygen cylinder replace	15 yrs	N/A	N/A	N/A	N/A	N/A
J3500018	hydro oxy bottle (SN 58037, mfg 7/87)	5 year	N/A	N/A	N/A	N/A	N/A
J3500023	oxy cyl (steel, DOT3HT1850)	3 yrs, 24 yrs	N/A	N/A	N/A	N/A	N/A
ENGINE							
E2431031	inspect and lubricate generator drive spline LH	MPI	1400	8334.7	9734.7	1343.4	OK
E2431031	inspect and lubricate generator drive spline RH	MPI	1400	8120.5	9520.5	1129.2	OK
E2610020	inspection tailcone fire detect elem #1	MPI	1400	8334.7	9734.7	1343.4	OK
E2610020	inspection tailcone fire detect elem #2	MPI	1400	8120.5	9520.5	1129.2	OK
E3020001	insp bulkhead eng nacelle inlet LH	MPI	1400	8334.7	9734.7	1343.4	OK
E3020001	insp bulkhead eng nacelle inlet RH	MPI	1400	8120.5	9520.5	1129.2	OK

E3610002	insp HP bleed air hose/gasket LH	MPI	1400	8334.7	9734.7	1343.4	OK
E3610002	insp HP bleed air hose/gasket RH	MPI	1400	8120.5	9520.5	1129.2	OK
G7100000	Garrett Eng MM requirements	see eng insp section		N/A	N/A	N/A	N/A
E7120024	eng mount castings for corrosion LH	MPI	1400	8334.7	9734.7	1343.4	OK
E7120024	eng mount castings for corrosion RH	MPI	1400	8120.5	9520.5	1129.2	OK
D7120032	NDI fwd eng mnt castings LH	MPI	1400	8334.7	9734.7	1343.4	OK
D7120032	NDI fwd eng mnt castings RH	MPI	1400	8120.5	9520.5	1129.2	OK
E7120035	eng mounts removed	12 yrs					
E7120050	NDI fwd mnt cast, blts, shk mnt blts,isol assy	MPI	1400	8334.7	9734.7	1343.4	OK
E7120050	NDI fwd mnt cast, blts, shk mnt blts,isol assy	MPI	1400	8120.5	9520.5	1129.2	OK
L7120063	fwd and aft eng mnt isolators LH	MPI	1400	8334.7	9734.7	1343.4	OK
J7120063	fwd and aft eng mnt isolators RH	MPI	1400	8120.5	9520.5	1129.2	OK
L7120063	fuel computer ITT signal portion LH	MPI	1400	8334.7	9734.7	1343.4	OK
L7120067	aft engine bolt LH	MPI	1400	8334.7	9734.7	1343.4	OK
L7120067	aft engine bolt RH	MPI	1400	8120.5	9520.5	1129.2	OK
E7611001	fuel computer ITT signal portion LH	MPI	1400	8334.7	9734.7	1343.4	OK
E7611001	fuel computer ITT signal portion RH	MPI	1400	8120.5	9520.5	1129.2	OK
E7810004	fluorescent pene chk eng exhaust Vband	MPI	1400	8334.7	9734.7	1343.4	OK
E7810004	fluorescent pene chk eng exhaust Vband	MPI	1400	8120.5	9520.5	1129.2	OK
E7810005	inspect exhaust nozzles LH	MPI	1400	8334.7	9734.7	1343.4	OK
E7810005	inspect exhaust nozzles RH	MPI	1400	8120.5	9520.5	1129.2	OK
G7830003	aeronica tr						
E8010004	starter oil change #1 LH	MPI	1400	8334.7	9734.7	1343.4	OK
E8010004	starter oil change #2 RH	MPI	1400	8120.5	9520.5	1129.2	OK
FUSELAGE							
L5210025	visually inspect cabin door and hinges	24 months	730	4/2/2007	04/01/09	635	OK
C5610022	inspect windshield for cracks	N/A	N/A	N/A	N/A	N/A	N/A
LANDING GEAR							
C3255001	nose steering servo	2000 hrs	2000	7741.6	9741.6	1350.3	OK
NOSE							
J3500016	steel oxygen cylinder hydro (SN 852)	5 years	1825	9/25/2002	09/24/07	80	OK
E3500019	oxygen cylinder hydro test	3 year	N/A	N/A	N/A	N/A	N/A
E3500019	oxygen cylinder replace	15 years	N/A	N/A	N/A	N/A	N/A
J3500022	oxygen cylinder hydro test	3 years	N/A	N/A	N/A	N/A	N/A
J3500022	oxygen cylinder replace	24 years	N/A	N/A	N/A	N/A	N/A
N3610041	hydro emerg air bottle (bottom) P/N 23111386	3 years	1095	5/25/2006	05/24/09	688	OK
N3610041	x-ray emergency air bottle	9 years	3285	5/25/2006	05/23/15	2878	OK
N3610041	scrap emergency air bottle	15 years	5475	1/1/1994	12/28/08	541	OK
TAILCONE							
K2150011	AC compressor motor brush wear check	600 hrs	600				20
K2150018	perform fluorescent penetrant inspect	600 pmh	600	1152.6	1752.6	1752.6	OK

G2150020	AC system pressure switch test	600 hrs	600	1249.9	1849.9	1849.9	OK
L2150052	perform refrigeration sys pressure switch	600pmh	N/A	N/A	N/A	N/A	N/A
C2214000	overhaul secondary yaw servo	3000 hours	N/A	N/A	N/A	N/A	N/A
C2214001	overhaul roll servo	3000 hours	3000	5458.5	8458.5	67.2	OK
C2214001	overhaul primary yaw servo	3000 hours	3000	6394.9	9394.9	1003.6	OK
C2214001	overhaul secondary yaw servo	3000 hours	3000	6394.9	9394.9	1003.6	OK
B2432010	battery installation inspection	6 month	180	5/25/2007	11/21/07	138	OK
E2562001	functional test of drag chute	6 month	180	5/25/2007	11/21/07	138	OK
B2620005	engine fire extinguisher pressure check	6 month	180	5/25/2007	12/05/07	152	OK
E2620010	eng fire ext wt chk	12 month	365	5/25/2007	05/24/08	323	OK
E2620010	eng fire ext wt chk	12 month	365	5/25/2007	05/24/08	323	OK
C2620025	hydro fire bottle LH HTL 30402102D s/n B13828	5 year	1825	9/15/2004	09/14/09	801	OK
C2620025	hydro fire bottle RH HTL 3040202 s/n 3168B2	5 year	1825	9/15/2004	09/14/09	801	OK
H5450020	engine mount beam inspection LH	MPI	1400	8334.7	9734.7	1343.4	OK
H5450020	engine mount beam inspection RH	MPI	1400	8120.5	9520.5	1129.2	OK
WING							
H2750044	flap cam follower bearings	1200 hours	1200	8120.5	9320.5	929.2	OK
L2812002	Wing inspection outboard of WS213.602	24 months	730	5/17/2006	05/16/08	315	OK
L2812010	Wing inspection between WS 53 and 92.0	24 months	730	10/13/2005	10/13/07	99	OK
L2812020	Wing flapper valve inspection from WS 53 to 0.0	24 months	730	10/13/2005	10/13/07	99	OK
G5700005	NDI of wing structure at WS 6.0 and 244.102	10,000 hours	10000	0.0	10000	1608.7	OK
L5710035	Inspect dry bay forward of spar 2	24 months	730	5/25/2006	05/24/08	323	OK
H5750046	Flap track support fittings	1200 hours	1200	8120.5	9320.5	929.2	OK
Airframe Component Replacement Items							
G2820002	fuel hose assy excluding eng nac	12 years	4380	5/25/2006	05/22/18	3973	OK
		6000 cycles	6000	8121	14120.5	6788.5	OK
G2900001	hyd hose assy	12 years	4380	5/25/2006	05/22/18	3973	OK
		6000 cycles	6000	8121	14120.5	6788.5	OK
Center Section							
E5322000	bolts, keelbeam attach	12 years	4380	5/14/1998	05/11/10	1040	OK
		6000 cycles	6000	5455	11455	4123	OK
Electrical							
G2431046	R ess bus 40 A breaker	12 year	4380	5/25/2006	05/22/18	3973	OK
		6000 cycles	6000	8121	14120.5	6788.5	OK
G2431048	L ess bus 40 A breaker	12 year	4380	5/25/2006	05/22/18	3973	OK
		6000 cycles	6000	8121	14120.5	6788.5	OK
G2431050	main bus tie breaker	12 year	4380	5/25/2006	05/22/18	3973	OK
		6000 cycles	6000	8121	14120.5	6788.5	OK
F2566000	CVR ULB Battery Repl	6 years	2190	12/21/2004	02/01/11	1306	OK
Empenage							

F2720015	cables assembly rudder LH & RH	2400 hrs	2400	6394.9	8794.9	403.6	OK
E2720017	rudder assembly	20000 hrs	20000	0.0	20000	11608.7	OK
E2720020	rudder hinge bolts	20000 hrs	20000	0.0	20000	11608.7	OK
E2720022	rudder sector bearing assy	20000 hrs	20000	0.0	20000	11608.7	OK
E2720026	rudder hinge brackets	20000 hrs	20000	0.0	20000	11608.7	OK
F2730014	cables assemb elevator LH & RH	2400 hrs	2400	6394.9	8794.9	403.6	OK
E2730016	elevator assembly LH	20000 hrs	20000	0.0	20000.0	11608.7	OK
E2730016	elevator assembly RH	20000 hrs	20000	0.0	20000	11608.7	OK
E2730020	elevator hinge installation	20000 hrs	20000	0.0	20000	11608.7	OK
E2730021	elevator bellcrank assemb LH & RH	20000 hrs	20000	0.0	20000	11608.7	OK
E2730022	elevator upper push-pull tubes	20000 hrs	20000	0.0	20000	11608.7	OK
E2730024	elevator hinge bolt LH & RH	20000 hrs	20000	0.0	20000	11608.7	OK
E2740010	horizontal stabilizer hinge pin	20,000 hours	20000	8120.5	28120.5	19729.2	OK
G2740011	horizontal stabilizer actuator attach bolts	12 year	4380	3/5/2001	03/02/13	2066	OK
		6000 cycles	6000	5455	11455	4123	OK
Engine							
G7110021	fuel hose assy eng nac	2400 hrs	2400	8120.5	10520.5	2129.2	OK
		5 years	1825	5/25/2006	05/24/11	1418	OK
G7110022	hyd hose assy eng nac	2400 hrs	2400	7260.2	9660.2	1268.9	OK
		5 years	1825	1/16/2004	01/14/09	558	OK
K7120036	fwd eng shock mount cover LM-833-3	LH	4200	8278.5	12478.5	4087.2	OK
K7120036	fwd eng shock mount cover LM-833-3	RH	4200	8278.5	12478.5	4087.2	OK
L7120037	aft eng iso assy (6600309-3) consisting of housing	LH	8400	5458.5	13858.5	5467.2	OK
L7120037	aft eng iso assy (6600309-3) consisting of housing	RH	8400	5458.5	13858.5	5467.2	OK
E7120038	fwd eng mount attach bolts 2651026	LH	20000	0	20000	11608.7	OK
E7120038	fwd eng mount attach bolts 2651026	RH	20000	0	20000	11608.7	OK
E7120039	aft eng attach bolts 2652002,2651027	LH	20000	0	20000	11608.7	OK
E7120039	aft eng attach bolts 2652002,2651027	RH	20000	0	20000	11608.7	OK
E7120040	fwd upper & lwr eng shck sup blt 6600187,NAS130	LH	20000	0	20000	11608.7	OK
E7120040	fwd upper & lwr eng shck sup blt 6600187,NAS130	RH	20000	0	20000	11608.7	OK
E7120041	aft shock mount attach bolts NAS335CP23	LH	20000	0	20000	11608.7	OK
E7120041	aft shock mount attach bolts NAS335CP23	RH	20000	0	20000	11608.7	OK
K7120064	fwd eng shock mount bolts NAS1304-1H	LH	4200	8278.5	12478.5	4087.2	OK
K7120064	fwd eng shock mount bolts NAS1304-1H	RH	4200	8278.5	12478.5	4087.2	OK
L7120065	fwd upper shock mount mounting assy LM-833-1	LH	8400	8344.7	16744.7	8353.4	OK
L7120065	fwd lwr mnt iso LM-833-1	LH	8400	8344.7	16744.7	8353.4	OK
L7120065	fwd upper shock mount mounting assy LM-833-1	RH	8400	5458.5	13858.5	5467.2	OK
L7120065	fwd lwr mnt iso LM-833-1	RH	8400	5458.5	13858.5	5467.2	OK
L7120066	fwd eng shock mnt housing LM-833-2	LH	8400	8344.7	16744.7	8353.4	OK
L7120066	fwd eng shock mnt housing LM-833-2	RH	8400	5458.5	13858.5	5467.2	OK

Landing Gear

G3210003	hyd hose assy	1500 hrs	1500	7286.2	8786.2	394.9	OK
		5 years	1825	1/29/2004	01/27/09	571	OK
E3211067	LH main gear strut attach pins	6000 cycles	6000	5966	11966	4634	OK
E3211067	RH main gear strut attach pins	6000 cycles	6000	5966	11966	4634	OK
L3211071	LH main gear strut replace	9000 cycles	9000	0	9000	N/A	
L3211071	RH main gear strut replace	9000 cycles	9000	0	9000	N/A	
E3211076	LH main gear strut	12000 ldgs	12000	6678	18678	11346	OK
E3211076	RH main gear strut	12000 ldgs	12000	6678	18678	11346	OK
E3211077	LH main gear pillars	12000 cycles	12000	0	12000	4668	OK
E3211077	RH main gear pillars	12000 cycles	12000	0	12000	4668	OK
E3211082	nose gear strut replace	20000 cycles	20000	0	20000	12668	OK
E3211083	nose gear actuator	20000 cycles	20000	0	20000	12668	OK
E3211084	main gear actuator attach pin	20000 cycles	20000	0	20000	12668	OK
J3211086	main actuator pillar assy	20000 cycles	20000	0	20000	12668	OK
E3211087	LH main gear actuator	20000 cycles	20000	0	20000	12668	OK
E3211087	RH main gear actuator	20000 cycles	20000	0	20000	12668	OK
G3233003	emergency air hoses	12 yrs	4380	5/25/2006	05/22/18	3973	OK
G3233003	emergency air hoses NLG	12 yrs	4380	5/25/2006	05/22/18	3973	OK
G3243040	hyd brake hoses	2400 hrs	2400	7273.5	9673.5	1282.2	OK
Nose							
E3211065	Nose gear actuator bolt	6000 cycles	6000	5966	11966	4634	OK
Tailcone							
H2620035	eng fire extinguisher cartridges	6 years	NA	NA	NA	NA	NA
H2620036	eng fire extinguisher cartridges	10 years	NA	NA	NA	NA	NA
E2620040	squib / cartridge fire bottle LH HTL	6 yrs	2190	9/30/2005	09/29/11	1546	OK
E2620040	squib / cartridge fire bottle LH HTL	6 yrs	2190	8/9/2005	08/08/11	1494	OK
E2620040	squib / cartridges fire bottle RH HTL	6 yrs	2190	9/15/2004	06/01/09	696	OK
E2620040	squib / cartridges fire bottle RH HTL	6 yrs	2190	9/30/2005	09/29/11	1546	OK
Wing							
F2710008	cable aileron control	2400 hrs	2400	6394.9	8794.9	403.6	OK
E2710010	aileron drive yoke bolt LH	3600 hrs	3600	5770.3	9370.3	979	OK
E2710010	aileron drive yoke bolt RH	3600 hrs	3600	5770.3	9370.3	979	OK
E2710014	bolt, aileron center hinge LH	3600 hrs	3600	7736.5	11336.5	2945.2	OK
E2710014	bolt, aileron center hinge RH	3600 hrs	3600	7736.5	11336.5	2945.2	OK
G2710016	aileron assembly LH	20000 hrs	20000	0.0	20000	11608.7	OK
G2710016	aileron assembly RH	20000 hrs	20000	0.0	20000	11608.7	OK
E2710020	aileron clevis bolt LH	20000 hrs	20000	0.0	20000	11608.7	OK
E2710020	aileron clevis bolt RH	20000 hrs	20000	0.0	20000	11608.7	OK
E2710021	bolts, aileron hinge LH inboard	20000 hrs	20000	0.0	20000	11608.7	OK
E2710021	bolts, aileron hinge LH outboard	20000 hrs	20000	0.0	20000	11608.7	OK
E2710021	bolts, aileron hinge RH inboard	20000 hrs	20000	0.0	20000	11608.7	OK

E2710021	bolts, aileron hinge RH outboard	20000 hrs	20000	0.0	20000	11608.7	OK
E2710022	aileron sector	20000 hrs	20000	0.0	20000	11608.7	OK
E2710024	aileron clevis LH & RH	20000 hrs	20000	0.0	20000	11608.7	OK
E2710026	aileron yoke assembly	20000 hrs	20000	0.0	20000	11608.7	OK
E2710028	aileron bearing support assembly	20000 hrs	20000	0.0	20000	11608.7	OK
E2710031	aileron hinge bracket assy	20000 hrs	20000	0.0	20000	11608.7	OK
E2750002	flap nose roller bushings	1200	1200	8120.5	9320.5	929.2	OK
F2750017	inbrd flap hinge fitting	20000 hrs	20000	0.0	20000	11608.7	OK
F2750019	outbrd flap hinge fitting	20000 hrs	20000	0.0	20000	11608.7	OK
E2750021	inbrd outbrd flap track assy	20000 hrs	20000	0.0	20000	11608.7	OK
E2750023	IN/B flap nose roller tracks	20000 hrs	20000	0.0	20000	11608.7	OK
E2750024	O/B flap nose roller tracks	20000 hrs	20000	0.0	20000	11608.7	OK
G2750034	bolt flap sector mounting LH	12 year	4380	6/2/2002	05/30/14	2520	OK
G2750034	bolt flap sector mounting LH	6000 cycles	6000	5966	11966	4634	OK
G2750034	bolt flap sector mounting RH	12 year	4380	6/2/2002	05/30/14	2520	OK
G2750034	bolt flap sector mounting RH	6000 cycles	6000	5966	11966	4634	OK
E2760057	spoiler assembly	3600 hrs	3600	NA	NA	NA	NA
E2760067	bolts, spoiler attach 5/16"	9000 hrs	9000	0.0	9000	608.7	OK
E2760070	assembly spoiler LH	9000 hrs	9000	0.0	9000	608.7	OK
E2760070	assembly spoiler RH	9000 hrs	9000	0.0	9000	608.7	OK
E2760071	actuator arm assembly spoiler LH	9000 hrs	9000	0.0	9000	608.7	OK
E2760071	actuator arm assembly spoiler RH	9000 hrs	9000	0.0	9000	608.7	OK
E2760072	spoiler ctr pivot blt	9000 hrs	9000	0.0	9000	608.7	OK
E2760073	spoiler inbd and outbd bolt	9000 hrs	9000	0.0	9000	608.7	OK
E2760074	spoiler actuator aft bolt	9000 hrs	9000	0.0	9000	608.7	OK
E2760077	spoiler actuator fitting and bolts	20000 hrs	20000	0.0	20000	11608.7	OK
E2760083	spoiler actuator assy	20000 hrs	20000	0.0	20000	11608.7	OK
AD 74-08-0	Lav Placards	1000 hrs	1000	8334.7	9334.7	943.4	OK
	Insp LH windshield	600hrs	600	8120.5	8720.5	329.2	OK
AD 87-02-0	visual eng mnts LH	420	420	8344.7	8764.7	373.4	OK
AD 87-02-0	NDI eng mnts LH	1500	1500	8344.7	9844.7	1453.4	OK
AD 87-02-0	visual eng mnts RH	420	420	8120.5	8540.5	149.2	OK
AD 87-02-0	NDI eng mnts RH	1500	1500	6960.1	8460.1	68.8	OK

RVSM REQUIREMENTS

	300 hr altimeter emerg power check	300 hrs	300	8120.5	8420.5	29.2	INSP DUE
	RVSM task 1.4.2 (a) 12 Month Tasks		365	5/1/2007	04/30/08	299	OK
	RVSM task 1.4.2 (b) 24 Month Tasks		730	2/22/2007	02/21/09	596	OK
STC	LH pri pitot/static probe	10000	10000	0.0	10000.0	1608.7	OK

STC	RH pri pitot/static probe	10000	10000	0.0	10000.0	1608.7	OK
	avionics annual		365	8/15/2006	08/15/07	40	OK